



Appendix A

Clean Copy of All Pending Claims as Amended

73. (Once amended) An agent comprising a baculovirus, wherein the baculovirus directs transcription of at least one ribonucleic acid (RNA) that, when present within a cell, forms a double-stranded structure that inhibits expression of at least one [insect] gene.

74. The agent of claim 73, wherein the RNA comprises two separate complementary strands.

75. (Once amended) An agent comprising a baculovirus vector, wherein the baculovirus vector directs transcription of at least one ribonucleic acid (RNA) that, when present within a cell, forms a double-stranded structure that inhibits expression of at least one gene, wherein the RNA comprises two separate complementary strands, and wherein the baculovirus expression vector comprises a DNA segment flanked by two promoters, wherein the promoters are operably linked to the DNA segment, and wherein the promoters are oriented so as to direct transcription of both sense and antisense RNA transcripts from the flanked DNA segment.

76. The agent of claim 75 wherein the expression vector further comprises DNA sequences that direct termination of the RNA transcripts.

77. The agent of claim 75 or claim 76, wherein the expression vector further comprises at least one enhancer element operably linked to at least one of the promoters.

78. (Once amended) An agent comprising a baculovirus, wherein the baculovirus directs transcription of at least one ribonucleic acid (RNA) that, when present within a cell, forms a double-stranded structure that inhibits expression of at least one gene, wherein the RNA comprises one strand that is self-complementary.

79. (Once amended) The agent of claim 73 or 74, wherein at least a portion of the ribonucleic

acid sequence is substantially identical to at least a portion of the sequence of the at least one gene.

80. (Once amended) The agent of claim 73 or 74, wherein the cell forms part of a tissue of a target pest organism.

81. (Once amended) The agent of claim 73 or 74, wherein the baculovirus is selected from the group consisting of: the *Autographa californica* multiple polyhedrosis virus, the *Orgyia pseudotsugata* MNPV, the *Lymantria dispar* MNPV, the *Helicoverpa zea* NPV, and the *Bombyx mori* NPV.

82. (Once amended) The agent of claim 73 or 74, wherein the at least one gene to be inhibited is an essential gene in an insect.

83. (Once amended) The agent of claim 73 or 74, wherein at least one gene to be inhibited is a gene involved in development in a pest organism.

84. (Once amended) The agent of claim 73 or 74, wherein at least one gene to be inhibited is involved in neurotransmission in a pest organism.

85. (Once amended) The agent of claim 73 or 74, wherein at least one gene to be inhibited is expressed in the insect alimentary canal or Malpighian tubules.

86. (Once amended) The agent of claim 73 or 74, wherein the at least one gene to be inhibited is naturally found in an insect selected from the order *Lepidoptera*.

87. (Once amended) The agent of claim 73 or 74, wherein the at least one gene to be inhibited is naturally found in an insect selected from the list consisting of: the cotton bollworm (*Helicoverpa zea*), the cabbage looper (*Trichoplusia ni*), the alfalfa looper (*Autographa*

californica), the tobacco hornworm (*Manduca sexta*), the tobacco budworm (*Heliothis virescens*), the fall armyworm (*Spodoptera frugiperda*), the European corn borer (*Ostrinia nubilalis*), the eastern spruce budworm (*Choristoneura fumiferana*), the western spruce budworm (*C. occidentalis*), and the gypsy moth (*Lymantria dispar*).

90. (Once amended) An insecticidal composition comprising the agent of claim 73 or 74, wherein the gene is an insect gene, and an agriculturally suitable carrier.

91. The composition of claim 90 further comprising at least one agent selected from the group consisting of: conventional pesticides, gustatory stimulants, thickening agents, UV screening agents, optical brighteners, viral synergists, dispersants, flow agents, spreading agents, and sticking agents.

92. (Once amended) A recombinant baculovirus comprising:

- a first promoter;

- a second promoter;

- a DNA segment whose sequence comprises at least one sequence at least 80%

- identical to a portion of the sequence of at least one insect gene, wherein the at least one insect gene is selected from the list consisting of: genes that are essential in a pest organism, genes involved in neurotransmission in a pest organism, genes involved in development in a pest organism, and genes expressed in the insect alimentary canal or Malpighian tubules, and wherein the portion of the sequence of the at least one insect gene is at least 50 nucleotides in length;

- a first enhancer operably linked to the first promoter,

- a second enhancer operably linked to the second promoter,

- a first transcriptional terminator, wherein the first transcriptional terminator is positioned so as to terminate transcription directed by the first promoter;

- a second transcriptional terminator, wherein the second transcriptional terminator is positioned so as to terminate transcription directed by the second promoter, wherein the two promoters are operably linked to the DNA segment, and wherein the promoters are oriented so as

to direct transcription of both sense and antisense RNA transcripts from the DNA segment.

96. A composition comprising the recombinant insect virus of claim 92 and an agriculturally suitable carrier.

97. The composition of claim 96, further comprising at least one agent selected from the group consisting of: conventional pesticides, gustatory stimulants, thickening agents, UV screening agents, optical brighteners, viral synergists, dispersants, flow agents, spreading agents, and sticking agents.

98. A pest control agent comprising at least one recombinant baculovirus, wherein the at least one recombinant baculovirus directs transcription of a first ribonucleic acid (RNA) that, when present within an insect cell, hybridizes either with itself or with a second ribonucleic acid whose transcription is directed by the at least one recombinant baculovirus, thereby forming a double-stranded structure that inhibits expression of at least one gene expressed in the insect cell.

99. The pest control agent of claim 98, wherein the first ribonucleic acid hybridizes with itself, thereby forming a double-stranded structure that inhibits expression of at least one gene expressed in the insect cell.

100. The pest control agent of claim 98, wherein the first ribonucleic acid hybridizes with a second ribonucleic acid whose transcription is directed by the at least one recombinant baculovirus, thereby forming a double-stranded structure that inhibits expression of at least one gene expressed in the insect cell.

101. The pest control agent of any of claims 98, 99, or 100, wherein the gene is an endogenous gene.

102. The pest control agent of any of claims 98, 99, or 100, wherein the insect cell is contained

in an insect.

103. The pest control agent of claim 102, wherein the insect is a *Lepidopteran*.

104. The pest control agent of claim 103, wherein the insect is selected from the group consisting of: the cotton bollworm (*Helicoverpa zea*), the cabbage looper (*Trichoplusia ni*), the alfalfa looper (*Autographa californica*), the tobacco hornworm (*Manduca sexta*), the tobacco budworm (*Heliothis virescens*), the fall armyworm (*Spodoptera frugiperda*), the European corn borer (*Ostrinia nubilalis*), the eastern spruce budworm (*Choristoneura fumiferana*), the western spruce budworm (*C. occidentalis*), and the gypsy moth (*Lymantria dispar*).

105. The pest control agent of any of claims 98, 99, or 100, wherein the insect cell is cultured *in vitro*.

106. The pest control agent of claim 105, wherein the insect cell is a *Lepidopteran* cell.

109. The pest control agent of any of claims 98, 99, and 100, wherein the gene is selected from the group consisting of: genes that are essential in a pest organism, genes involved in neurotransmission in a pest organism, genes involved in development in a pest organism, and genes expressed in the insect alimentary canal or Malpighian tubules.

110. The pest control agent of any of claims 98, 99, and 100, wherein the baculovirus is selected from the group consisting of: the *Autographa californica* multiple polyhedrosis virus, the *Orgyia pseudotsugata* MNPV, the *Lymantria dispar* MNPV, the *Helicoverpa zea* NPV, and the *Bombyx mori* NPV.

111. A pest control agent comprising an occlusion body containing a plurality of recombinant baculoviruses, wherein each of the recombinant baculoviruses directs transcription of a first ribonucleic acid (RNA) that, when present within an insect cell, hybridizes either with itself or

with a second ribonucleic acid whose transcription is directed by at least one of the recombinant baculoviruses, thereby forming a double-stranded structure that inhibits expression of at least one gene expressed in the insect cell.

112. The pest control agent of claim 111, wherein the first ribonucleic acid hybridizes with itself, thereby forming a double-stranded structure that inhibits expression of at least one gene expressed in the insect cell.

113. The pest control agent of claim 112, wherein the first ribonucleic acid hybridizes with a second ribonucleic acid whose transcription is directed by the at least one recombinant baculovirus, thereby forming a double-stranded structure that inhibits expression of at least one gene expressed in the insect cell.

114. The pest control agent of any of claims 111, 112, or 113, wherein the gene is an endogenous gene.

115. The pest control agent of any of claims 111, 112, or 113, wherein the insect cell is contained in an insect.

116. The pest control agent of claim 115, wherein the insect is a *Lepidopteran*.

117. The pest control agent of claim 116, wherein the insect is selected from the group consisting of: the cotton bollworm (*Helicoverpa zea*), the cabbage looper (*Trichoplusia ni*), the alfalfa looper (*Autographa californica*), the tobacco hornworm (*Manduca sexta*), the tobacco budworm (*Heliothis virescens*), the fall armyworm (*Spodoptera frugiperda*), the European corn borer (*Ostrinia nubilalis*), the eastern spruce budworm (*Choristoneura fumiferana*), the western spruce budworm (*C. occidentalis*), and the gypsy moth (*Lymantria dispar*).

118. The pest control agent of any of claims 111, 112, or 113, wherein the insect cell is cultured

in vitro.

119. The pest control agent of claim 118, wherein the insect cell is a *Lepidopteran* cell.

122. The pest control agent of any of claims 111, 112, and 113, wherein the gene is selected from the group consisting of: genes that are essential in a pest organism, genes involved in neurotransmission in a pest organism, genes involved in development in a pest organism, and genes expressed in the insect alimentary canal or Malpighian tubules.

123. (Once amended) The pest control agent of any of claims 111, 112, and 113, wherein the baculovirus is selected from the group consisting of: the *Autographa californica* multiple polyhedrosis virus, the *Orgyia pseudotsugata* MNPV, the *Lymantria dispar* MNPV, the *Helicoverpa zea* NPV, and the *Bombyx mori* NPV.

124. An insecticidal composition comprising the agent of claim 111 and an agriculturally suitable carrier.

125. The composition of claim 124 further comprising at least one agent selected from the group consisting of: conventional pesticides, gustatory stimulants, thickening agents, UV screening agents, optical brighteners, viral synergists, dispersants, flow agents, spreading agents, and sticking agents.

131. (Once amended) A method of controlling insects, the method comprising the step of: contacting a cell in an insect with a first ribonucleic acid (RNA) whose sequence corresponds to at least a portion of at least one gene endogenous to the insect, wherein the first ribonucleic acid hybridizes either with itself or with a second ribonucleic acid with which the cell is also contacted, thereby forming a double-stranded structure within the cell that inhibits expression of at least one gene expressed in the cell, wherein the step of contacting comprises contacting the insect with a baculovirus, and wherein the first RNA is expressed within 6 hours after the insect

is contacted with the baculovirus.

132. (Once amended) A method of controlling insects, the method comprising the step of: contacting a cell in an insect with a first ribonucleic acid (RNA) whose sequence corresponds to at least a portion of at least one gene endogenous to the insect, wherein the first ribonucleic acid hybridizes either with itself or with a second ribonucleic acid with which the cell is also contacted, thereby forming a double-stranded structure within the cell that inhibits expression of at least one gene expressed in the cell, wherein the step of contacting comprises contacting the insect with a baculovirus, and wherein the RNA is expressed substantially in the absence of viral replication.

133. (Once amended) A method of controlling insects, the method comprising the step of: contacting a cell in an insect with a first ribonucleic acid (RNA) whose sequence corresponds to at least a portion of at least one gene endogenous to the insect, wherein the first ribonucleic acid hybridizes either with itself or with a second ribonucleic acid with which the cell is also contacted, thereby forming a double-stranded structure within the cell that inhibits expression of at least one gene expressed in the cell, wherein the step of contacting comprises contacting the insect with a baculovirus, and wherein the baculovirus does not establish a productive infection.

134. (Once amended) The method of claim 131, wherein the insect is a *Lepidopteran*.

135. The method of claim 134, wherein the insect is selected from the group consisting of: the cotton bollworm (*Helicoverpa zea*), the cabbage looper (*Trichoplusia ni*), the alfalfa looper (*Autographa californica*), the tobacco hornworm (*Manduca sexta*), the tobacco budworm (*Heliothis virescens*), the fall armyworm (*Spodoptera frugiperda*), the European corn borer (*Ostrinia nubilalis*), the eastern spruce budworm (*Choristoneura fumiferana*), the western spruce budworm (*C. occidentalis*), and the gypsy moth (*Lymantria dispar*).

138. (Once amended) The method of claim 131, wherein the gene is selected from the group

consisting of: genes that are essential in a pest organism, genes involved in neurotransmission in a pest organism, genes involved in development in a pest organism, and genes expressed in the insect alimentary canal or Malpighian tubules.

139. (Once amended) The method of claim 131, wherein the baculovirus is selected from the group consisting of: the *Autographa californica* multiple polyhedrosis virus, the *Orgyia pseudotsugata* MNPV, the *Lymantria dispar* MNPV, the *Helicoverpa zea* NPV, and the *Bombyx mori* NPV.

140. (Once amended) The method of claim 131, wherein the step of contacting comprises applying the baculovirus to organisms on which the insect feeds.

141. (Once amended) The method of claim 131, whereby one or more biological or physiological functions of the insect is inhibited.


142. (New) The agent of claim 73 or claim 74, wherein the cell is an insect cell, and the gene is an insect gene.

143. (New) The agent of claim 75 or 78, wherein the cell is an insect cell, and the gene is an insect gene.

144. (New) The agent of claim 75 or 78, wherein at least a portion of the ribonucleic acid sequence is substantially identical to at least a portion of the sequence of the at least one gene.

145. (New) The agent of claim 75 or 78, wherein the cell forms part of a tissue of a target pest organism.

146. (New) The agent of claim 75 or 78, wherein the baculovirus is selected from the group consisting of: the *Autographa californica* multiple polyhedrosis virus, the *Orgyia pseudotsugata*



MNPV, the *Lymantria dispar* MNPV, the *Helicoverpa zea* NPV, and the *Bombyx mori* NPV.

147. (New) The agent of claim 75 or 78, wherein the at least one gene to be inhibited is an essential gene in an insect.

148. (New) The agent of claim 75 or 78, wherein at least one gene to be inhibited is selected from the group consisting of: genes that are essential in a pest organism, genes involved in neurotransmission in a pest organism, genes involved in development in a pest organism, and genes expressed in the insect alimentary canal or Malpighian tubules.

149. (New) The agent of claim 75 or 78, wherein the at least one gene to be inhibited is naturally found in an insect selected from the order *Lepidoptera*.

150. (New) The agent of claim 75 or 78, wherein the at least one gene to be inhibited is naturally found in an insect selected from the list consisting of: the cotton bollworm (*Helicoverpa zea*), the cabbage looper (*Trichoplusia ni*), the alfalfa looper (*Autographa californica*), the tobacco hornworm (*Manduca sexta*), the tobacco budworm (*Heliothis virescens*), the fall armyworm (*Spodoptera frugiperda*), the European corn borer (*Ostrinia nubilalis*), the eastern spruce budworm (*Choristoneura fumiferana*), the western spruce budworm (*C. occidentalis*), and the gypsy moth (*Lymantria dispar*).

151. (New) An insecticidal composition comprising the agent of claim 142 or 150 and an agriculturally suitable carrier.